

## NATIONAL COMPETITIVE BIDDING

### GREATER HYDERABAD MUNICIPAL CORPORATION

Office of the Executive Engineer,  
(Project Division - West Zone - I),  
GHMC, Hyderabad.

Tender Notice No. 01/EE/PD WZ-I/GHMC/2019-20/

Date: 23-04-2019

<i>Item No.</i>	<i>Name of Work</i>
<b>1.</b>	<b>Fixation of lowest rates/lowest quoted dealers for supply of sports items for the year 2019-20 in order to run the sports activities smoothly during the forthcoming Summer Coaching Camps-2019 and regular coaching camps throughout the year</b>

S. No	Name of the item	S. No	Name of the item	S.No	Name of the item
1	Volleyball - Synthetic	51	Boxing Gloves - 16 OZ	101	Kho Kho wooden poles
2	Volleyball- Leather	52	Punching Pad	102	Wrestling Mattress
3	Volleyball Net	53	Kit Bag-Cotton	103	Wrestling Matting cover
4	Volleyball Iron Racheit	54	Kit Bag-Leather	104	Yoga Carpet
5	Volleyball net wire	55	Boxing Head Gear	105	Gymnastic mattress
6	Volleyball Poles	56	Boxing Punching Gloves	106	Gymnastic Spring Board
7	Basketball 5	57	Ball Badminton Ball	107	Judo Mat
8	Basketball 6	58	Ball Badminton net	108	Soft Ball Ball
9	Basketball 7	59	Wooden Rackets	109	Soft Ball Gloves
10	Basketball Net	60	Shuttle Cocks - Feather	110	Soft Ball Face Guard
11	Basketball Board Fibre	61	Shuttle Cocks - Plastic	111	Soft Ball Alluminium Slugger
12	Football - No.4 - Synthetic/Leather	62	Shuttle Rackets-Practice	112	Base Ball Ball
13	Football - No.5 Synthetic/Leather	63	Shuttle Rackets-Match	113	Cycle Polo Stick Wooden
14	Football net	64	Match - Shuttle Net - Cotton	114	Tennis Balls for Cycle Polo
15	Football goal poles	65	Badminton Poles	115	Archery Arrows Wooden
16	Handball - Men Synthetic	66	Tennikoit Ring	116	Archery Bows
17	Handball - Women Synthetic	67	Tennikoit Net	117	Target Faces 122 cm
18	Handball - Mini Synthetic	68	Tennikoit Poles	118	Target Faces 80 cm
19	Handball goal post Wooden	69	Table Tennis Ball-Practice	119	Target Bosses 126 cms
20	Cricket Bat No: 5-	70	Table Tennis Ball-Match	120	Target Bosses 84 cms

	Kashmir Willow				
21	Cricket Bat-Full Size - Kashmir Willow	71	Table Tennis Net – Nylon	121	Wooden Target Stand
22	Cricket Bat-Full Size-English Willow	72	Table Tennis Bat	122	Net Ball – Ball
23	Batting gloves Cotton/ Foam Leather	73	Table Tennis Table-Practise	123	Net Ball Net - Nylon
24	Wicket keeping Gloves Leather	74	Karate Punching Head Gear - Foam Leather	124	Korfball Ball
25	Batting Leg Guard/Pad Leather	75	Karate Punching Gloves Foam Leather	125	Korfball Net Nylon
26	Wicket keeping Leg Guard/Pad Leather	76	Karate Punching Pad Foam Leather	126	Throw Ball Ball Synthetic
27	Stumps (Set)	77	Roller Skates	127	Throw Ball Net Nylon
28	Abdominal Guard	78	Carrom Board-Practise	128	Warmup - Shoes
29	Cricket Net Nylon	79	Carrom Board-Match	129	Jogger Shoe
30	Matting Full size	80	Carrom Coins	130	Socks
31	Matting Half Size	81	Carrom Stand	131	Track suit (Superpoly)
32	Cricket Matting Nails.	82	Carrom Striker	132	Track suit (Micro)
33	Cricket balls-Practice	83	Boric Powder for Carroms	133	T Shirt
34	Tennis Ball - Yellow	84	Chess Board	134	Skipping Rope
35	Hard Tennis Ball	85	Chess Coins - Wooden	135	Tug of War Rope
36	Cricket Kit Bag	86	Discuss Throw-Men	136	Cycle Pump Big Size
37	Cricket - Arm Guard	87	Discuss Throw-Women	137	Measuring Tape
38	Cricket Thigh Pads	88	Javeline Throw-Men Wooden	138	Plastic Whistle for GHMC Coaches
39	Hockey Sticks - Junior Fiber	89	Javeline Throw-Women Wooden	139	Plastic Whistle Ordinary
40	Hockey Sticks - Senior Fiber	90	Hurdles	140	Garden umbrella for swimming pool
41	Hockey Ball-Leather	91	Short put - Boys	141	Iodine Bottle
42	Hockey Ball-Cork	92	Short put - Girls	142	Iodex Bottle
43	Hockey Goal keeper Hand gloves - Leather	93	Short put - Men	143	Spray for Pain Killer
44	Hockey Goal keeper Pads	94	Sepak Takraw Balls	144	Half Tone Roller
45	Hockey Goal net - Nylon	95	Sepak Takraw Net	145	Locks
46	Chest Guard - Leather	96	Tennis Balls	146	Stop & Go - Watches
47	Face Guard	97	Tennis Rackets	147	Kick Board
48	Hockey Goal Post	98	Match - Tennis Net – Nylon	148	Ring bouy
49	Boxing Gloves - 10 OZ	99	Tennis Wire	149	Tubes for Swimming Pool
50	Boxing Gloves - 12 OZ	100	Tennis Poles	150	Hand Tubes for Swimming Pool
				151	First Aid Box

S.No	Events		Date and Time
1	Last date for obtaining Specification	:	27-04-2019 03.00 PM
2.	Last date of receipt of sealed Quotations	:	30-04-2019 03.00 PM

Note: The specification can be obtained through email id: [exengerspd2@yahoo.com](mailto:exengerspd2@yahoo.com) or can be downloaded from the website [www.ghmc.gov.in](http://www.ghmc.gov.in) and sealed quotations to be submitted in the office of the Executive Engineer, Projects Division - West Zone – I, GHMC, 6<sup>th</sup> floor, CC Complex, Tank Bund road, Hyderabad.

*Address of the officer concerned Sri .S. Venkataramana,  
Executive Engineer, PD-WZ-I, Greater Hyderabad Municipal Corporation,  
Tank Bund Road, Hyderabad.*

**Executive Engineer  
PD-WZ-I, GHMC**

Copy submitted to:

1. The Addl. Commissioner (Sports), GHMC for favour of information.
2. The Chief Engineer (P), GHMC for favour of information.
3. The Superintending Engineer (P-WZ), GHMC for favour of information.
4. The Director of Sports, GHMC for favour of information.

To:

1. The Notice board of EE, PD-WZ-I, GHMC.



Sl.No.	Item Name	Item detailed Specification	Unit
1	Volleyball - Synthetic	Volleyball: Its circumference is 65-67cms and its weight is 260-280 gms. Its inside pressure shall be 0.30 to 0.325 kgs/cms (295.3 to 318.82 mbar or hpa). The Ball shall be spherical made of flexible synthetic with a bladder inside a made of rubber or a similar material. - Multi Colour.	Each
2	Volleyball- Leather	<b>Volleyball Leather coates for regular camps:</b> Its circumference is 65-67 cms and its weight is 260-280gms. Its inside pressure shall be 0.30 to 0.325 kgs/cms (295.3 to 318.82 mbar or hpa). The ball shall be spherical made of <b>Leather</b> with a bladder inside made of similar material (with Multy Colours).	Each
3	Volleyball Net	Volleyball net : Placed vertically over the center line there is net whose Top is set at the hieght of 2.43 mtrs. Its height is measured from the Center of the Playing Court. The net hieght (over the 2 side lines) must be exactly the same and must not exceed the official height by more than 2 cms. The net is 1 mtr vide and 10 mts long made of 10cm square black mesh. At its top there is horizontal band 5 cms vide. Made of 2 fold vide canvas sewn along its full length. (4) Four Sides tape, Top-7cm, other-5cm.	Each
4	Volleyball Iron Racheit	Volleyball Iron Racheit with wooden handle Superior Quality (Heavy) 2.5mm width with handle as per the VFI model.	Each
5	Volleyball net wire	Volleyball net wire thick quality: Length 15 mtrs Thickness 1 mm.	Each
6	Volleyball Poles	Volleyball Iron Poles 11 feet Length, 4 inches dia with sockets double pullies, 14 guage, MS pipe with Synthetic enamel painting of approved color With wheels.	Pair
7	Basketball 5	<b>BASKETBALL Mini No: 5:</b> The Outer Surface of the ball shall be made of Rubber. The Size of the Ball 5 and ball shall weight not less than 495 gms and not more than 510 gms.The Circumference of the ball shall be not be less than 700 mm and not more than 720 mm.	Each
8	Basketball 6	<b>BASKETBALL for women No: 6:</b> The Outer Surface of the ball shall be made of Rubber. The Size of the Ball 6 and ball shall weight not less than 510 gms and not more than 567 gms.The Circumference of the ball shall be not be less than 724 mm and not more than 737 mm.	Each
9	Basketball 7	<b>BASKETBALL for men No: 7:</b> The Outer Surface of the ball shall be made of Rubber. The Size of the Ball 7 and ball shall weight not less than 567 gms and not more than 650 gms.The Circumference of the ball shall be	Each

		not be less than 749 mm and not more than 780 mm.	
10	Basketball Net	Basketball net made of Nylon thick quality (White): The net shall be made of white cord and shall be not be less than 400 mm and not more than 450mm in length. Manufactured with 12 loops to attach the ring.	Pair
11	Basketball Board Fibre	Basketball Board - Fibre Glass - as per BFI 20mm with rings: The Board will be measured 1,800mm (a maximum of 30mm) Horizontally and 1,050mm (a maximum of 20mm) Vertically, 50mm in width.	Set
12	Football - No.4 - Synthetic/Leather	The Foot Ball is sperical made of leather/synthetic and the Circumference of the ball shall not be more than 70cm (28 inches) and not less than 68cm (27 inches) and not more than 450 gms (16OZ) in weight and not less than 410 gms (14OZ). A pressure of equal to 0.6 - 1.1 atmosphere (600-1100 gms/cms <sup>2</sup> ) at sea level (8.5lbs square in 15.6lbs) - Size No; 4 laceless International size.	Each
13	Football - No.5 Synthetic/Leather	The Foot Ball is sperical made of leather/synthetic and the Circumference of the ball of not more than 70cm (28 inches) and not less than 68cm (27 inches) and not more than 450 gms (16OZ) in weight and not less than 410 gms (14OZ). A pressure of equal to 0.6 - 1.1 atmosphere (600-1100 gms/cms <sup>2</sup> ) at sea level (8.5lbs square in 15.6lbs) - Size No; 5 laceless International size.	Each
14	Football net	Football Goal net made of Black thick all double nylon- KK GUPTA- 24feet Length x 8 feet Width x 5 feet height.- <b>ANY COLOUR - FIFA STANDARD.</b>	Pair
15	Football goal poles	Football Goal Poles 4 Inch and above Circumference as per standard model: Flag Posts not less than 1.5 mts (5 ft high) with a long painted top and flag placed at each corner. The distance between the post is 7.32 mtrs (8 yrds) and the distance from the lower edge of the crossbar to the ground is 2.44 m(8 ft). Both Goalposts and the crossbar have the same width and depth which do not exceed 12 cm (5incs).- <b>CORNER FLAGS 5FEET HEIGHT POLE NON POINTED.</b>	Pair
16	Handball - Men Synthetic	Hand Ball (Men) : The Ball is made of leather or a synthetic material. It must be spherical. The Surface must not be shiny or slipper (18:3) Have a circumference of 58-60 cm and a weight of 425-475 grams.	Each

17	Handball - Women Synthetic	Hand Ball (Women) : The Ball is made of leather or a synthetic material. It must be spherical. The Surface must not be shiny or slipper (18:3) Have a circumference of 54-56 cm and a weight of 325-400 grams.	Each
18	Handball - Mini Synthetic	Hand Ball (Mini) : The Ball is made of leather or a synthetic material. It must be spherical. The Surface must not be shiny or slipper (18:3) Have a circumference of 50-52 cm and a weight of 315 grams.	Each
19	Handball goal post Wooden	Handball goal post as per the specification of Handball federation of India.- Length 2 metrs x 3 metrs height.	Set
20	Cricket Bat No: 5- Kashmir Willow	Cricket Bat size No: 5: Kashmir Willow: The Width and Length the bat overall shall not be more than 38inches/96.5cm in length. The Blade of the bat shall be made solely of wood and shall not exceed 4.25 inch / 10.8 cm at the widest part. The blade may be covered with material for protection strenghting or repair. Such material shall not exceed 1.0625 inches and 1.56mm in thickness. Wieght from 4.6875 ounces/133 gms to five 1.16 ounces /144 gms, Circumferences from 8.0625 inches / 20.5 cms to 8.6875 inches/22.0cms.	Each
21	Cricket Bat- Full Size - Kashmir Willow	Cricket Bat size No: Kashmir Willow: full size: The Width and Length the bat overall shall not be more than 38 inches/96.5cm in length. The Blade of the bat shall be made solely of wood and shall not exceed 4.25 inch / 10.8 cm at the widest part. The blade may be covered with material for protection strenghting or repair. Such material shall not exceed 1.0625 inches and 1.56mm in thickness. - Weight from 4.6875 ounces/133 gms to five 1.16 ounces/144 gms, Circumferences from 8.0625 inches/20.5 cms to 8.6875 inches/22.0cms.	Each
22	Cricket Bat- Full Size- English Willow	Cricket Bat size No: English Willow: Full size :The Width and Length the bat overall shall not be more than 38 inches/96.5cm in length. The Blade of the bat shall be made solely of wood and shall not exceed 4.25 inch / 10.8 cm at the widest part. The blade may be covered with material for protection strenghting or repair. Such material shall not exceed 1.0625 inches and 1.56mm in thickness. - Weight from 4.6875 ounces/133 gms to five 1.16 ounces/144 gms, Circumferences from 8.0625 inches/20.5 cms to 8.6875 inches/22.0 cms.	Each

23	Batting gloves Cotton/ Foam Leather	Cricket Batting Gloves - Senior Size - Length 10inches, Width 4inches, Thickness 1.1inch - Cotton Padded Light PU.	Pair
24	Wicketkeepin g Gloves Leather	Wicket keeping gloves - Senior Size - Lenght 11.5inches, Width 6inches Pimple Palm.	Pair
25	Batting Leg Guard/Pad Leather	Cricket batting Leg guard/Pad, - Senior Size - Lenght 26inches, Width top13inches, Bottom 9inches (Cotton Padding inside, Front PU).	Pair
26	Wicketkeepin g Leg Guard/Pad Leather	Wicket keeping Leg guard/Pad, - Senior Size - Length 22.5inches, Width 11inches, Cotton padding with PU.	Pair
27	Stumps (Set)	Cricket stumps set with bails superior quality (six wickets) - the Top of the Stumps shall be 28 inches/71.1 cms above the playing surface and shall be dome shaped except for the bail grooves. With the circular section of diameter not less than 1.375 inches/3.49cms not more than 1.5 inches/3.81 cms. Height above playing surface 27 inches/68.58cms of each stumps. Width 8 inches/20.32cms.	Set
28	Abdominal Guard	Cricket abdominal guard superior quality plastic make.	Each
29	Cricket Net Nylon	Cricket net full size 100 ft X 10 ft Heavy thick quality - NYLON.	Each
30	Matting Full size	Cricket matting full size 66 ft X 8 ft - Made of Jute	Each
31	Matting Half Size	Cricket matting half size 33 ft X 8 ft - Made of Jute	Each
32	Cricket Matting Nails.	Matting Nails Iron. 6' length, Thickness 1.5'	Each
33	Cricket balls- Practice	Cricket balls-Practice-when new shall weight not less than 5.50 ounces/155.9 gms not more than 5.75 ounces/163 gms and shall measure not less than 8.8125 inches / 22.4 cms, not more than 9 inches/22.9 cms in circumferences.	Each



34	Tennis Ball - Yellow	Tennis Ball : The ball shall have a bound of more than 53 inches (134.62 cms) and less than 58 inches (147.32 cms) when dropped 100 inches (254.00cm) upon a flat, right surface e.g.concrete. The ball shall have a forward deformation of more than .220 of an inch (.559 cm) and less than .290 of an inch (.737 cm) and return deformation of more than .315 of an inch (.800 cm) and less than .425 of an inch (1.080 cm) at 18 lb. (8.165kg) load. The two deformation figures shall be the averages of three individual readings along three axes of the ball and no two individual reading shall differ by more than .30 of an inch (.076 cm) in each case.	Each
35	Hard Tennis Ball	Hard Tennis Ball for cricket - Red color: The ball shall have a bound of more than 53 inches (134.62 cms) and less than 58 inches (147.32 cms) when dropped 100 inches (254.00cm) upon a flat, right surface e.g.concrete. The ball shall have a forward deformation of more than .220 of an inch (.559 cm) and less than .290 of an inch (.737 cm) and return deformation of more than .315 of an inch (.800 cm) and less than .425 of an inch (1.080 cm) at 18 lb. (8.165kg) load. The two deformation figures shall be the averages of three individual readings along three axes of the ball and no two individual reading shall differ by more than .30 of an inch (.076 cm) in each case.	Each
36	Cricket Kit Bag	Cricket Kit Bag (Canvas) - Thickness with Canvas. Length 32' Width 12', Height 16' Made of leather.	Each
37	Cricket - Arm Guard	Arm Guard for Cricket - As per Approved Standard Specifications. Length 10', Width 5', Thickness 15 mm (Canvas/Rexine) made of fibre sheet.	Each
38	Cricket Thigh Pads	Thigh Pads for Cricket - As per Approved Standard Specifications. Length 15', Width 11', Thickness 20 mm. (Made of inside with rubber covered with cotton).	Each
39	Hockey Sticks - Junior Fiber	Hockey Fiber Stick for Juniors 33 inches- Weight 25 Ounces - 2 inches Dia	Each
40	Hockey Sticks - Senior Fiber	Hockey Fiber Stick regular size for Seniors -Weight 28 Ounces - 2 inches Dia	Each
41	Hockey Ball- Leather	Hockey Leather ball - Weight of the ball 5.5 ounces to 5.75 ounces - Circumference of the ball 8.75 inches to 9.25 inches.	Each

42	Hockey Ball- Cork	Hockey Cork ball White - Weight of the ball 5.5 ounces to 5.75 ounces - Circumference of the ball 8.75 inches to 9.25 inches.	Each
43	Hockey Goal keeper Hand gloves - Leather	Hockey Goal Keeper hand gloves of leather make. - As per Hockey Federation of India rules.	Pair
44	Hockey Goal keeper Pads	Hockey Goalkeeper pad made of samber leather with superior quality - As per Hockey Federation India rules.	Pair
45	Hockey Goal net - Nylon	Hockey goal net - double nylon thick quality- 7 feet height x 12 feet width and 4 feet height.	Pair
46	Chest Guard - Leather	Chest Guards- Leather make as per HFI.	Each
47	Face Guard	Face guard for Hockey as per HFI	Each
48	Hockey Goal Post	Hockey goal posts - Made of Round Pipe 2 Inch dia- height 7 feet, Width 12 feet between 2 poles - with 18 inches height wooden back stopping board.	Each
49	Boxing Gloves - 10 OZ	Boxing gloves;The gloves shall weight 10 ounces(284gms) of which the leather portion shall not weight more than half of the total weight and the padding not less than half of the total weight.IAW current USA boxing rules.all competitive gloves must be thumb attached.	Pair
50	Boxing Gloves - 12 OZ	Boxing Gloves;The gloves shall weight 12 ounces(340.80gms) of which the leather portion shall not weight more than half of the total weight and the padding not less than half of the total weight.IAW current U S A boxing rules.all competitive gloves must be thumb attached.	Pair
51	Boxing Gloves - 16 OZ	Boxing Gloves;The gloves shall weight 16 ounces (454.40gms) of which the leather portion shall not weight more than half of the total weight and the padding not less than half of the total weight. IAW current USA boxing rules.all competitive gloves must be thumb attached.	Pair
52	Punching Pad	Boxing punching pad -A Punching pad made of vinyl material (curved), water repellent, measuring 70 cms x 35 cms x 15	Pair
53	Kit Bag-Cotton	Boxing Punching Kit Bag,leather S.R.F, 12* 30 & 12* 36. 15, SKBL 909, Punching Kit Bag, All Leather With Filling, Pistol Hollister Glock, Long aiming rest MP-5, Punching kit bag 80x30cm, Flag assorted all colours 4/3, along with rope.- COTTON	Each

54	Kit Bag-Leather	Boxing Punching Kit Bag,leather S.R.F, 12* 30 & 12* 36. 15, SKBL 909, Punching Kit Bag, All Leather With Filling, Pistol Hollister Glock, Long aiming rest MP-5, Punching kit bag 80x30cm, Flag assorted all colours 4/3, alongwithrope.	Each
55	Boking Head Gear	Boxing punching head gear: the headguard is an individual and form fitted items of the boxer sequipment.the use of the headguard is manditary.it shall confirm to IABF specifications.	Each
56	Boxing Punching Gloves	Boxing punching gloves:A Made of Buff leather, four layers at the back with Cotton paddingCalf leather back & Swuede palm, Rubber Foam padded with Elastic Closing.	Pair
57	Ball Badminton Ball	Ball Badminton Ball Woolen 1.25 for matches (J & K) Ball weight 23 gms , Circumference 5.5cm	Each
58	Ball Badminton net	Ball Badminton net thick quality size 42 feet x 2.5 inches Tri colour	Each
59	Wooden Rackets	Ball Badminton Wooden Rackets - 26 inches Length, Circumference grip 9.34 inches x 7.75 inches.	Each
60	Shuttle Cocks - Feather	Shuttle Cock: FEATHER COCK:The shuttle shall have 16 feathers fixed in the base. The feathers can have a variable length from 2.5 inch (64 mm) to 2.75 inches (70mm) but in each shuttle they shall all be same length when measured from the tip to the top of the base. The tips of the feathers shall form a circle with a daimeter 2.25 inch (58mm) to 2.625 inches (16mm). The feather shall be fastened firmly with athread or other suitable material. The base shall be 1 inch(25mm) to 1.125 inches (25mm) in diameter round on the bottom. The shuttle shall weigh from 4.74 to 5.50 grams.	Each
61	Shuttle Cocks - Plastic	Shuttle Cock: PLASTIC COCK : The shuttle shall have 16 feathers fixed in the base. The feathers can have a variable length from 2.5 inch (64 mm) to 2.75 inches (70mm) but in each shuttle they shall all be same length when measured from the tip to the top of the base. The tips of the feathers shall form a circle with a daimeter 2.25 inch (58mm) to 2.625 inches (16mm). The feather shall be fastened firmly with athread or other suitable material. The base shall be 1 inch(25mm) to 1.125 inches (25mm) in diameter round on the bottom. The shuttle shall weigh from 4.74 to 5.50 grams.	Each

62	Shuttle Rackets-Practice	Shuttle Rackets- Practice- The frame of the racket including the handle shall not exceed 2 ft - 2.75 inches (680 mm) in over all length and 9 inches (230mm) in overall width. The overall length of the head shall not exceed 11.375 inches (290mm). The strung surface shall not exceed 11 inches(280 mm) in overall length and 8.625 inches(220mm) in overall width.	Each
63	Shuttle Rackets-Match	Shuttle Rackets- Matches - The frame of the racket including the handle shall not exceed 2 ft - 275 inches (680 mm) in over all length and 9 inches (230mm) in overall width. The overall length of the head shall not exceed 11.375 inches (290mm). The strung surface shall not exceed 11 inches(280 mm) in overall length and 8.625 inches(220mm) in overall width.	Each
64	Match - Shuttle Net - Cotton	Shuttle Net- The net shall be made of fine cord of dark colour and even thickness with a mesh not less than 15mm and not more than 20mm. The net shall be 2 ft 6inches (760mm) in depth. The top of the net shall be edged with a 3 inches(75mm) white tape doubled over a cord or cable running through the tape. This tape must rest upon the cord or cable. The top of the net from the surface.	Each
65	Badminton Poles	Badminton Poles- The posts shall be 5 ft1 inch (1,55m) in height from the surface of the court, they shall be sufficiently firm to remain vertical and keep the net strained as provided and shall be placed on the double side lines, 2 inches dia poles.	Pair
66	Tennikoit Ring	Tenni Koit Ring - The Ring shall be above 7 inches diameter 1.1/4 inches Thick shall wieght about 7 to 9 ounces. The koit shall be made of white thin rubber sheet filled with foam rubber and shall weight 198 to 226 gms. <b>-SPONGE FILLED - 1ST QUALITY.</b>	Each
67	Tennikoit Net	Tenni Koit net <b>Natural</b> superior thick quality 20 ft X 20 ft (made of cotton) - The net is a mesh of 70 cm. wide and 6.1 M long, vertically placed over the axis of the centre line to divide the playing space into two parts. The net shall be made of 2.5cms square the full length of the net over a cord or a flexible rope is stretched through to keep the top of the net tense.- <b>NYLON NETS</b>	Each
68	Tennikoit Poles	Tennikoit Poles- The poles for fastening of MS tubes of 6cms outer diamter - thickness of wall of the tubes 1.2 to 1.3mm. The height above the floor level shall be 1.9m. The poles should be fixed 45 Cm from the centrer of the side lines. The poles should be lowerd below the ground level to a depth of 60cm. The poles shall be painted the distinct contrasting colours in bands of 23 cm. White and black or White and Red	Pair

		are recommended.- <b>POLES 7.5 FEETS, WHITE &amp; BLACK.</b>	
69	Table Tennis Ball-Practice	Table Tennis Ball - Practice - The ball shall be spherical, with a diameter of 40+mm and ball shall weigh 2.7 grms. The ball shall be made of celluloid of similar plastic material and shall be orange only.- <b>WHITE COLOUR 40+MM, PLASTIC MATERIAL.</b>	Each
70	Table Tennis Ball-Match	Table Tennis Ball - Match - The ball shall be spherical, with a diameter of 40mm and ball shall weigh 2.7 grms. The ball shall be made of celluloid of similar plastic material and shall be orange only.- <b>BALL SHOULD BE 40+MM, PLASTIC MATERIAL AND WHITE IN COLOUR.</b>	Each
71	Table Tennis Net - Nylon	Table Tennis Net nylon-The net assemble shall consist of the net, its suspension and the supporting post including the clamp attaching them to the table. The top of the net along its own length, shall be 15.25 cms above the playing surface. The bottom of the net along its whole length shall be as a close as possible to the playing surface and ends of the net shall be as a close as possible to the supporting post.	Each
72	Table Tennis Bat	Table Tennis Bat - The racket may be of any size shape or weight but the blade shall be flat and rigid. At least 85% of the blade by thickness shall be of natural wood; an adhesive layer within the blade may be reinforced with fiborous material such as carbon fibre, glass fibre or compressed paper, but shall not be thicker than 7.5% of the total thickness or 0.35mm which is the smaller. Ordinary pimped rubber is a single layer of non-cellular rubber, natural or synthetic with pimples evenly distributed over its surface at a density of not less than 10 per sq.mt and not more than 50 per sq.cms. Sandwich rubber is a single layer of cellular rubber covered with a single outer layer of ordinary pimped rubber. The thickness of pimped not being more than 2 mm.	Each

73	Table Tennis Table-Practise	Table Tennis Table- <b>PRACTISE</b> - the upper of the table known as the playing surface shall be rectangle 2.74mtrs long and 1.525 mts wide and shall be lie in a horizontal plain 76 cm above the above. The playing surface shall be uniformly dark coloured and matt but with a white side line 2 cm wide along each 2.74mts edge and a white end line 2 cm wide along each 1.525 mts edge. The playing surface shall be divided into 2 equal courts by a vertical net running parallel with the end line and shall be continues over the whole area of each court.- <b>PRACTISE TABLE.</b>	Each
74	Karate Punching Head Gear - Foam Leather	Punching head gear: the headguard is an individual and form fitted items of the <b>karate</b> sequipment.the use of the headguard is manditary.it shall confirm to <b>KAI</b> specifications. ( Red & Blue Colour)	Each
75	Karate Punching Gloves Foam Leather	Punching gloves:A Made of Buff leather, four layers at the back with Cotton paddingCalf leather back & Swuede palm, Rubber Foam padded with Elastic Closing- (Red & Blue Colour)	Pair
76	Karate Punching Pad Foam Leather	Punching pad -A Punching pad made of vinyl material (curved), water repellent, measuring 70 cms x 35 cms x 15.	Pair
77	Roller Skates	Roller Skates : Metal body min length 20cm Max 28 cm/width 6 1/2 cm, Rubber wheels ( <b>PLANE</b> ) Hardness 78A/Size 55mm, 16pic 7mm Roller Ball Bearings in Each wheel, 5mm Axel, Lace 65 Cm, Leather Belt 50cm.	Pair
78	Carrom Board-Practise	Pratice Carrom Board: The playing surface of the Carrom board should be plywood or of any other wood equally smooth and be of not less than 8mm in thickness and of a minimum of 73.50cms and a maximum of 74 cm square with its surface completely smooth. The surface of the carrom board shall be wooden frame within side carved corners made of rosewood or any other hardwood with good resistance with minimum of height of 1.90cms and maximum of 2.54cms from the playing surface. The Breadth of the frame shall be notless than6.35cms and not more than7.60cms..	Each
79	Carrom Board-Match	MatchCarrom Board: The playing surface of the Carrom board should be plywood or of any other wood equally smooth and be of not less than 8mm in thickness and of a minimum of 73.50cms and a maximum of 74 cm square with its surface completely smooth. The surface of the carrom board shall be wooden frame within side carved corners made of rosewood or any other hardwood with good resistance with minimum of height of 1.90cms and	Each

		maximum of 2.54cms from the playing surface. The Breadth of the frame shall be not less than 6.35cms and not more than 7.60cms.	
80	Carron Coins	Carron coins: The diameter of the carron men shall not be more than 3.8cms and not less than 3.02cms it shall be not less than 0.70cms and not more than 0.90cms carron men's thickness. The carron men shall not be less than 5.00gms and not more than 5.50gms. Thus there shall be 9 whites and 9 blacks and 1 red carron men and they shall be uniform.	Set
81	Carron Stand	Carron Stand: The table or stand on which the Carron Board is placed for play shall be not less than 63.00cms and not more than 0.00cm in height, made of square pipe.	Each
82	Carron Striker	Carron Striker : The strikers shall be smooth and round with a diameter of not more than 4.13cms and weighing not more than 15gms.	Each
83	Boric Powder for Carrons	POWDER: The powder used shall be of high quality to keep the playing surface smooth and dry the powder shall not be wet pouches/containers filled with powder should be used to spread the powder evenly over the playing surface.-BORIC POWDER - (400 gms-BOX).	Each
84	Chess Board	Chess board: The size of the board is usually chosen to be appropriate for the chess pieces used and square should be between 50mm and 65mm in size bracket 2.0 to 2.5 inches. The square size approximately 1.25 to 1.3 times the size of the base of the king is referred. Chess board used in the game of chess and consists of 64 squares (Eight rows and eight columns) arranged in two alternating colours called black and white.	Each
85	Chess Coins - Wooden	Coins. chess board polished wooden coins and the colour of coins yellow and black.- WOODEN POLISHED COINS.	Set
86	Discuss Throw-Men	Discuss throw made of wooden or other suitable material. It should have one metal rim, the edge of which should be round in a true circle. The Weight Min 2 kgs for men. Outside diameter of metal rim Min 219 mm to Max. 221 mm, Diameter of Metal plate or flat centre area Min 50mm to Max 57mm, Thickness over flat centre area or metal plates Min. 44mm to Max	Each

		46mm, Thickness of Rim (6mm for edge) min. 12mm - MEN.- WOODEN WITH STEEL.	
87	Discuss Throw- Women	Discuss throw made of wooden or other suitable material. It should have one metal rim, the edge of which should be round in a true circle. The Weight Min 1 kg for women. Outside diameter of metal rim Min 180 mm to Max.182 mm, Diametre of Metal plate or flat centre area Min 50mm to Max 57mm, Thickness over flat centre area or metal plates Min.37mm to Max 39mm, Thickness of Rim (6mm for edge) min. 12mm- WOMEN-WOODEN WITH STEEL.	Each
88	Javeline Throw-Men Wooden	Javelin Throw: The weight of the Javelin for men shall be 600 gms and with a length of 7 feet 6.5inches.- WOODEN WITH STEEL NOOK. - <b>800 gms</b>	Each
89	Javeline Throw-Women Wooden	Javelin Throw: The weight of the Javelin for women shall be 5.5 ounces and its length shall be of 7 feet 2.5inches.- WOODEN WITH STEEL NOOK.- <b>ALUMINIUM 600gms</b>	Each
90	Hurdles	Hurdles - Men 1.067 mtrs height , Width from 1.18 mtrs to 1.20 mtrs. The Maximum length of base shall be 70 cms. The total weight of the burdles shall be not less than 10 kgs..	Each
91	Short put - Boys	Short Put is made of Iron - Weight for boys shall be 12 lbs.- CAST IRON.	Each
92	Short put - Girls	Short Put is made of Iron - Weight for girls shall be 8 lbs.- CAST IRON.	Each
93	Short put - Men	Short Put is made of Iron - Weight for Men should be 16 lbs.- CAST IRON.	Each
94	Sepak Takraw Balls	Sepak Takraw Ball 4.5 inches in diameter circumference in between 15 inches X 17 inches the ball has 12 holes in it made of cane fibre.	Each
95	Sepak Takraw Net	Sepak Takraw Net (nylon as per the National model)- Length 22 ft x 3 ft width..	Each



96	Tennis Balls	Tennis Ball : The ball shall have a bound of more than 53 inches (134.62 cms) and less than 58 inches (147.32 cms) when dropped 100 inches (254.00cm) upon a flat, right surface e.g.concrete. The ball shall have a forward deformation of more than .220 of an inch (.559 cm) and less than .290 of an inch (.737 cm) and return deformation of more than .315 of an inch (.800 cm) and less than .425 of an inch (1.080 cm) at 18 lb. (8.165kg) load. The two deformation figures shall be the averages of three individual readings along three axes of the ball and no two individual reading shall differ by more than .30 of an inch (.076 cm) in each case.	Each
97	Tennis Rackets	Tennis Racket: The frame of the racket shall not exceed 29 inches (73.66cms) in overall length including the handle. The frame of the racket shall not exceed 12.5 inches (31.75cms) in over width. The Strung surface shall not exceed 15.50 inches (39.37cms) in overall length and 11.50 inches (29.21 cms) in over all width.	Each
98	Match - Tennis Net - Nylon	Tennis net nylon - The height of the net shall be 3 feet (0.914m) at the centre, where it shall be held down taut by a strap not more than 2 inches (5 cm) wide and white in colour. A band should cover the cord of metal cable and the top of the net for not less than 2 inches (5 cm) not more than 2.5 inches (6.3 cm) deep on each side. It should be white in colour. There shall be no advertisement on the net, strap, band or single sticks.	Each
99	Tennis Wire	Tennis net wire thick quality: Length 15 mtrs Thickness 1 mm.- of 2 Kgs.	Each
100	Tennis Poles	Tennis Poles- The Poles shall be 3 ft hieght (.914m) outside the Court. The cord or metal cable shall 3 ft 6 inches (1.07m) above the ground. Circumference 4 inches dia. The Pole colour completely while in colour.	Pair
101	Kho Kho wooden poles	Kho kho wooden poles - Circumference should be from 30 to 40 cms, The two strong wooden poles, smooth all over, 120 to 125 cms above and perpendicular to the ground, fixed firmly in the free zone at tangent to the posts at M and N are known as the posts.The diameter shall be uniform through out and shall measure between 9cms and 10cms.	Pair
102	Wrestling Mattress	Wrestling mattress: 1 meter x 2 meters interlocking system (Total mats 72 Nos)- Thickness 50 or 60 mm made of Synthetic rubber.	Each
103	Wrestling Matting cover	Wrestling matting cover full canvas superior quality by 12 meter Length X Breadth 12 meter - Total 144 Meters - Leather make.	Each

104	Yoga Carpet	Carpet for Yoga Individual -The synthetic carpet made of rubber size is length 6 ft and width 3 ft.- <b>COTTON CARPET ALSO MAY BE USED.</b>	Each
105	Gymnastic mattress	Gymnastic mattress: 2 meters x 1 meter, 60 mm Thickness, covered with canvas cover polythin - made of rubber.	Each
106	Gymnastic Spring Board	Gymnastic Spring Board: As per the Standard Specification - Branded item/Approved make.	Each
107	Judo Mat	Judo mat: 1 meter x 1 meter interlocking System, Thickness 50 or 60 mm made of Synthetic rubber.	Each
108	Soft Ball Ball	Size 12.25 inches - Minimum radius of the ball 11.25 inches. 12 inches Ball shall have a core wound with a fine quality twisted yarn 11.625 inches to 11.75 inches in circumferences.The Completed ball shall be 11.875 to 12.125 inches in circumferences .-Branded items/approved make.	Each
109	Soft Ball Gloves	Gloves super quality made of Leather- As approved Standard specifications.- Branded Items/Approved make.	Pair
110	Soft Ball Face Guard	Face Guard as per SFI - As per approved standard specifications - Branded items/approved make.	Each
111	Soft Ball Alluminium Slugger	Slugger Alluminium The Mininum radius of the Largest part of the Slugger 2.50 inches Maximum length of the safety handle 10 inches. The Slugger not more than 42.2 inches (1.07 mts) long. Shall be round or 3 sided and measure not more than 34 inches long and not more than 2.25 inches in diameter in its largest part and its weight shall not exceed 38 ounces.- Branded items/approved make.	Each
112	Base Ball Ball	Ball weight 5 to 5.25 ounces (148 gms), Circumference is from 9 to 9.5 inches in approximately 23 cms.- Branded items/approved make.	Each
113	Cycle Polo Stick Wooden	Stick Wooden - 3feet length x 6 inches Width X Circumference 1.50.- CANE WOOD	Each
114	Tennis Balls for Cycle Polo	Tennis Balls for Cycle Polo : The ball shall have a bound of more than 53 inches (134.62 cms) and less than 58 inches (147.32 cms) when dropped 100 inches (254.00cm) upon a flat, right surface e.g.concrete. The ball shall have a forward deformation of more than .220 of an inch (.559 cm) and less than .290 of an inch (.737 cm) and return deformation of more than .315 of an inch (.800 cm) and less than .425 of an inch (1.080 cm) at 18 lb. (8.165kg) load. The two deformation figures shall be the averages of three individual readings along three axes of the ball and no two	Each

		individual reading shall differ by more than .30 of an inch (.076 cm) in each case.	
115	Archery Arrows Wooden	Arrows Wooden - Size of 24inches X 28inches.	Each
116	Archery Bows	Fibre glass T.D. Bows - 30 lbs (2 Pieces)	Each
117	Target Faces 122 cm	Target faces 122 cm diameter (each of the above faces is divided X 5 concerned colors Zones of Yellow, Red, Blue, Black and White of equal width from the center and in that order coloured zone is divided into (2) zone of equal width measured from the center).	Each
118	Target Faces 80 cm	Target faces 80 cm diameter (each of the above faces is divided X 5 concerned colors Zones of Yellow, Red, Blue, Black and White of equal width from the center and in that order coloured zone is divided into (2) zone of equal width measured from the center).	Each
119	Target Bosses 126 cms	Target Bosses 126 cms - They are made lightly twisted grass wood X a circular shape of thickness about 10 X 12 cms.	Each
120	Target Bosses 84 cms	Target Bosses 84 cms - They are made lightly twisted grass wood X a circular shape of thickness about 10 X 12 cms.	Each
121	Wooden Target Stand	Wooden Target Stand for Archery - As per the approved Standard Specifications.	Each
122	Net Ball - Ball	The Net Ball is sperical made of leather/synthetic and the Circumference of the ball of not more than 70cm (28 inches) and not less than 68cm (27 inches) and not more than 450 gms (16OZ) in weight and not less than 410 gms (14OZ). A pressure of equal to 0.6 - 1.1 atmosphere (600-1100 gms/cms <sup>2</sup> ) at sea level (8.5lbs square in 15.6lbs) - Size No; 5 laceless International size . - Branded Items/Approved make.	Each
123	Net Ball Net - Nylon	Netball net made of Nylon thick quality (White): The net shall be made of white cord and shall be not less 400 mm and not more than 450mm in length. Manufacutred with 12 loops to attached to the ring - Branded items/Approved make.	Each

124	Korfball Ball	The Korfball is spherical made of leather/synthetic and the Circumference of the ball of not more than 70cm (28 inches) and not less than 68cm (27 inches) and not more than 450 gms (16OZ) in weight and not less than 410 gms (14OZ). A pressure of equal to 0.6 - 1.1 atmosphere (600-1100 gms/cms <sup>2</sup> ) at sea level (8.5lbs square in 15.6lbs) - laceless International size.	Each
125	Korfball Net Nylon	Korfball net made of Nylon thick quality (White): The net shall be made of white cord and shall be not less 400 mm and not more than 450mm in length. Manufacutred with 12 loops to attached to the ring.	Each
126	Throw Ball Ball Synthetic	The Ball is spherical made of leather/synthetic and the Circumference of the ball of not more than 70cm (28 inches) and not less than 68cm (27 inches) and not more than 450 gms (16OZ) in weight and not less than 410 gms (14OZ). A pressure of equal to 0.6 - 1.1 atmosphere (600-1100 gms/cms <sup>2</sup> ) at sea level (8.5lbs square in 15.6lbs) - Size No; 5 laceless International size.-Branded item/approved make.	Each
127	Throw Ball Net Nylon	Throw Ball Net - Placed vertically over the center line there is net whose Top is set at the hieght of 2.43 mtrs. Its height is measured from the Center of the Playing Court. The net hieght (over the 2 side lines) must be exactly the same and must not exceed the official height by more than 2 cms. The net is 1 mtr vide and 10 mts long made of 10cm square black mesh. At its top there is horizontal band 5 cms vide. Made of 2 fold vide canvas sewn along its full length.-Branded item/approved make.	Each
128	Warmup - Shoes	<b>Warmup shoes</b> for Summer Coaching Camp Coaches and GHMC Staff.	Pair
129	Jogger Shoe	Jogger Shoe for players of GHMC and staff/officers	Pair
130	Socks	Nylon Socks (White Full Size)	Pair
131	Track suit (Superpoly)	Superpoly track suit for Summer Coaching camp for coaches along with printing of GHMC Monogram- Sizes: Medium, Large, XL, XXL,XXXL, XXXXL.	Set
132	Track suit (Micro)	Micro track suit for GHMC players and Staff and Part Time Coaches of GHMC along with printing of GHMC Monogram - Sizes: Medium, Large, XL, XXL, XXXL, XXXXL.	Set
133	T Shirt	T Shirt colour for Summer Coaching Camp coaches and GHMC Chowkidars along with printing of GHMC Monogram. - PC Jali, - Sizes: Medium, Large, XL, XXL, XXXL, XXXXL.	Each

134	Skipping Rope	Skipping rope nylon thick rope with handle.	Each
135	Tug of War Rope	<b>Tug of War:</b> Tug of war rope - 33 mts length, made of jute, width 12mm circumference - Branded items/approved make.	Each
136	Cycle Pump Big Size	Cycle Pump Big Size- For Air filling in the balls (Volleyball, Football, Basketball etc.,).	Each
137	Measuring Tape	Measuring tape - 50 meters - FIBRE	Each
138	Plastic Whistle for GHMC Coaches	Plastic Whistle superior quality	Each
139	Plastic Whistle Ordinary	Plastic Whistle superior quality.	Each
140	Garden umbrella for swimming pool	Garden Umbrella's complete adjustable with multi colours- COFTTON for swimming pool	Each
141	Iodine Bottle	Iodine Bottle 100 gms.	Each
142	Iodex Bottle	Iodex Bottle 100 gms.	Each
143	Spray for Pain Killer	Spray for Pain Killer	Each
144	Half Tone Roller	1/2 Tone Ground Roller for Cricket pitch rolling. - Branded items/approved make.	Each
145	Locks	Lock Big Size 8 levers.	Each
146	Stop & Go - Watches	For Swimming Pool Stop watch - As per Approved Standard Specifications	Each
147	Kick Board	For Swimming Pool Kick Board - As per Approved Standard Specifications	Each
148	Ring bouy	For Swimming Pool Ring Bouy - As per Approved Standard Specifications	Each
<b>149</b>	<b>TUBES</b>	<b>For Swimming Pool TUBES REQUIRED FOR CHILDREN.</b>	<b>Each</b>
<b>150</b>	<b>HAND TUBES</b>	<b>For Swimming Pool HAND TUBES FOR CHILDREN.</b>	<b>Each</b>
<b>151</b>	<b>FIRST AID BOX</b>	<b>For Swimming Pool FIRST AID BOX</b>	<b>Each</b>

**GREATER HYDERABAD MUNICIPAL CORPORATION**

**NATIONAL COMPETITIVE BIDDING**

<b>NIT No.</b>	<b>Name of the work</b>	<b>Last Date &amp; Time for Receipts of Bids</b>	<b>Name &amp; Address officer Cell.No.</b>
Tender Notice No. <b>01/EE/PD WZ-I/GHMC/2019-20/ Dt. 23-04-2019</b>	<b>Fixation of lowest rates/lowest quoted dealers for supply of sports items for the year 2019-20 in order to run the sports activities smoothly during the forthcoming Summer Coaching Camps-2019 and regular coaching camps throughout the year</b>	Last Date for obtaining specification: 27 -04-2019 03.00 PM  Last date of receipt of sealed Quotations: 30-04-2019 03.00 PM	O/o Executive Engineer, Project Division-West Zone - I, GHMC, <b>9989930405</b>

**Note: The rates quoted for all the items shall be excluding GST.**

The details of item (151 Nos) names and specification can be obtained through email id: [exengerspd2@yahoo.com](mailto:exengerspd2@yahoo.com) or can be downloaded from the website [www.ghmc.gov.in](http://www.ghmc.gov.in) and sealed quotations to be submitted in the office of the Executive Engineer, Projects Division - West Zone – I, GHMC, 6<sup>th</sup> floor, CC Complex, Tank Bund road, Hyderabad.

Further details if required can be had from the office of the Executive Engineer, PD-WZ-I, GHMC, 6<sup>th</sup> floor, CC Complex, Tank Bund road, Hyderabad.

**Executive Engineer  
PD-WZ-I, GHMC**

Copy submitted to:

1. The Addl. Commissioner (Sports), GHMC for favour of information.
2. The Chief Engineer (P), GHMC for favour of information.
3. The Superintending Engineer (P-WZ), GHMC for favour of information.
4. The Director of Sports, GHMC for favour of information.

To:

- 1 The Notice board of EE, PD-WZ-I, GHMC.